



DIMENSIONS ARE IN INCHES TOLERANCES: DECIMAL: XX ± 0.06 XXX ± 0.03 XXXX ± 0.005 ANGULAR: FRACTIONAL: ± 1/32"		NAME: WMC DATE: 08/01/2012 REVISED: MPC DATE: 06/24/2016 APPROVED:	TICO/TERRMINAL SERVICE 44 CYPRESS BRIDGE DR. RIDGELAND, SC 29936 (843) 717-2226
DO NOT SCALE DRAWING		TITLE: <b>ASSEMBLY, COOLING SYSTEM QSB III</b>	
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994		SIZE: <b>D</b>	DWG. NO.: 72586-D1
THE SUBJECT MATTER SHOWN AND DESCRIBED IN THIS DRAWING AND ANY OTHER INFORMATION ADVANCED IN CONNECTION THEREWITH IS PROPRIETARY PROPERTY AND IS TO BE HELD IN STRICT CONFIDENCE BY YOU. ALL RIGHTS TO ANY INVENTIONS, DESIGNS, TRADE MARKS, TRADE NAMES AND COPYRIGHTS DISCLOSED ARE RESERVED TO TICO/TERRMINAL SERVICES, INC.		REV	SHEET 1 OF 1

TICO PRO-SPOTTER				
S/N:		ASSEMBLY, COOLING SYSTEM, QSB III		72586
ITEM	PART #	QTY/M	DESCRIPTION	
	72586-D1	REF	ASSEMBLY, COOLING SYSTEM, QSB III	
1	62286	1	ASSEMBLY, RADIATOR, CONDENSER MTG, ACC, 1/2" STUDS (WITH A/C)	
2	12737	1	RADIATOR MOUNT, RUBBER ISOLATORS, QSB III	
3	82405	4	BOLT, HEX HEAD, 3/8-16 X 1 3/4 LONG (BRACKET TO ENGINE MOUNT)	
4	85091	8	WASHER, FLAT, 3/8-16	
5	85025	4	LOCKNUT, NYLON, 3/8-16	
6	82880	2	BOLT, 1/2-20 X 3 LONG	
7	85016	4	JAM NUT, 1/2-20	
8	62332	2	WASHER, RADIATOR MOUNT (TOP)	
9	62254	2	ISOLATOR, RADIATOR MOUNT	
10	62110	2	WASHER, FRONT ENGINE MOUNT (BOTTOM)	
11	85025	2	LOCKNUT, NYLON, 3/8-16	
12	61603	2	ROD, THREADED, 3/8-16 X 12 LONG	
13	60857	8	MOUNT, RUBBER, 3/8 ID X 1.75 OD	
14	80346	8	WASHER, FENDER, 3/8 ID X 1.75 OD	
15	85014	8	NUT, HEX HEAD, 3/8-16	
16	85025	4	LOCKNUT, NYLON, 3/8-16	
17	60988	1	SHROUD, FAN	
18	82370	8	BOLT, HEX HEAD, 1/4-20 X 1 LONG (SHROUD SIDES)	
19	85089	16	WASHER, 1/4-20	
20	85023	12	LOCKNUT, NYLON, 1/4-20	
21	82381	12	BOLT, 1/4-20 X 1 1/4 LONG	
22	80129	12	WASHER, FENDER 1/4" ID x 1 1/4" OD	
23	85135	12	LOCKWASHER, 1/4-20	
24	40593	2	P-CLAMP, 1"	
25	85089	2	WASHER, 1/4-20	
26	60908	1	FAN, ENGINE, 22", 9 BLADE COMPOSITE, 3.75 POWER, CLUTCH	
27	60423	1	ASSEMBLY, CLUTCH FAN	
28	62328	1	PLATE, CAPTURE	
29	80373	4	BOLT, FLG CERR, FULL THREAD, 10 MM X 45 MM LONG, GRADE 10.9	
30	60607	1	HOSE, RADIATOR INLET, 2"	
31	60890	1	HOSE, RADIATOR OUTLET, 2 X 25 LONG	
32	420304	2	CLAMP, T-BOLT, 200, 2 - 2 5/16"	
33	420310	1	CLAMP, T-BOLT, 2 1/8 - 2 7/16"	
34	42159	1	CLAMP, T-BOLT, 250, 2 1/2 - 2 13/16"	
REV	DATE	BY		SHEET
D	06/24/2016	MPC		1 OF 2

